Chromatographia Vol. 25, 1988 Contents

Contents Vol. 25, No. 1, January 1988

Originals

A New HPLC Method of Hydrophobicity Evaluation Employing Poly (Butadiene)-Coated Alumina Columns 5
R. Kaliszan / R. W. Blain / R. A. Hartwick

Isomer Specific Determination of Polychlorinated Technical Mixtures such as Polychloronaphthalenes by GC/MS 8
W. A. Heidmann

On the Liquid Chromatography and Identification of the Flavonoids, Present in the "Sumach Tannic Acid" Extracted from *Rhus coriaria* 15
P. Van Loo / A. De Bruyn / M. Verzele

An Evaluation and Comparosin of Micro-Techniques for Concentration of Volatile Components from Dilute Solutions 21
S. Blomberg / J. Roeraade

Retention Characteristics of Alkylated Polycyclic Aromatic Hydrocarbons in Normal Phase Liquid Chromatography 25
Conny E. Östman / L. Colmsjö

Scintillator-Fiber Flow-Cell Radioactivity Detector for Liquid Chromatography 31
T. L. Rucker / H. H. Ross / G. K. Schweitzer

Gas Chromatographic Analysis of the Carboxylic Acid Composition of Valeriana Extracts 37
M. Morvai / I. Molnár-Perl

Void Volume Determination and Experimental Probes in Reversed Phase Chromatography 43
M. C. Hennion / R. Rosset

Direct Coupling of Capillary Supercritical Fluid Chromatography to High Resolution Mass Spectrometry with Minimum Modification 51
E. C. Huang / B. J. Jackson / Karin E. Markides / M. L. Lee

Extended Solubility Parameters and Stationary Phase Selectivities of Amino-, Cyano- and Diol-Silica Normal Bonded-Phase Liquid Chromatography Columns 55
P. L. Smith / W. T. Cooper

Short Communication

Simultaneous High-Performance Liquid Chromatographic Determination of Phenazopyridine and Nitrofurantoin in Tablets 61
F. Belal

Contents Vol. 25, No. 2, February 1988

Editorial

Professor Kurt Grob — An Appreciation 81

Originals

Lipophilicity Determination of some Nitrostyrene Derivatives on RP-2, RP-8 and RP-18 Layers 82
T. Cserhàti / A. Kiss-Tamàs / Gy. Mikite

Gas Chromatographic Method for Determining Free Fatty Acids in Cheese 87
M. C. Martin-Hernández / L. Alonso / M. Juárez / J. Fontecha

Measurement of Naltrexone in Rat Brain Regions and Serum by High Performance Liquid Chromatography with Electrochemical Detection 91
C. Kim / R. Cheng / W. A. Corrigall

The Polarity of Polyoxyethylene Glycol Dialkyl Ethers and Their Sulphur Analogs as Measured by Parameters Considering Intermolecular Electric Interactions 95
A. Voelkel

Thermal Stability of Polyurethanes 99
J. Simon / F. Barla / Anna Kelemen-Haller / F. Farkas / Márta Kraxner

Simulation of Induced Peaks in Indirect Detection of Non-Electrolytes in High-Performance Liquid Chromatography 107
T. Takeuchi / S. Watanabe / K. Murase / D. Ishii

Retention Behaviour of some Coumarins in Normal-Phase High-Performance Thin-Layer and Column Chromatography 111
Maria L. Bieganowska / K. Glowniak

Aliphatic Monoamines, Diamines, Polyamines: An HPLC Method for their Identification and Separation by a Dansylation Reaction; The Study of Separation Factors in Homologous Series. 117
M. C. Gennaro / E. Mentasti / C. Sarzanini / V. Porta

Temperature Programming Elution in Capillary Supercritical Fluid Chromatography 125
T. Takeuchi / K. Ohta / D. Ishii

Fluorescence Immunological Determination of Immunoglobulin G in Human Serum by High-Performance Liquid Gel-Permeation Chromatography 129
H. Hosotsubo / K. Arai / Jun-Ichi Iwamura

Gas Chromatographic Investigations of the Adsorption of n-Octane on the Surface of Sulfur 134
B. Biliński

Contents Vol. 25, No. 3, March 1988

Editorial

Dr. László Szepesy 60 Years Old 161

Originals

Investigations into the Use of an Auxiliary Metal Ion for Indirect Amperometric Detection 162
J.N.Barisci/G.G.Wallace/J.M.Riviello

Characterization of Polymers by Size Exclusion Chromatography Using Multiple Detection. Determination of the Mark-Houwink Constants for Pullulan 100 167
K.Sommermeyer/F.Cech/E.Pfitzer

Gentamicin C: Separation of C_1, C_{1a}, C_2, C_{2a} and C_{2b} Components by HPLC Using Isocratic Ion-Exchange Chromatography and Post-Column Derivatisation 169
G.Seidl/H.P.Nerad

Sulfur Hexafluoride as a Mobile Phase for Supercritical Fluid Chromatography 172
J.W.Hellgeth/M.G.Fessehaie/L.T.Taylor

Comparative Evaluation of Retention of Hydrocarbons Present in the C_5-Petroleum Fraction on Methylsilicone and Squalane Phases 177
D.Papazova/R.Milina/N.Dimov

Würzburg Chromatography Workshop/Würzburger Chromatographie-Gespräche:
HPLC/FPLC in Research and Industry

Chiroptical Detection.
Novel Possibilities of its Application to Enantiomers 182
A.Mannschreck/D.Andert/A.Eiglsperger/E.Gmahl/H.Buchner

Discontinuous Reversed-Phase High Performance Liquid Chromatography Increases Load Capacity of Analytical Columns.
Separation of Ribosomal Proteins from the Archaebacterium *Sulfolobus acidocaldarius.* 189
J.R.Grün/Beate Kossmann/R.Reinhardt

Catecholamine: „On-Line" Probenaufarbeitung und Nachsäulenderivatisierung 199
K.-S.Boos/B.Wilmers/R.Sauerbrey/E.Schlimme

Diagnostic and Therpay-control of Inborn Metabolic Disorders by High-Performance Liquid Chromatography: 2,8-Dihydroxyadeninuria, Xanthinuria 205
A.Hesse/A.Thon/A.Classen/H.Birwé

Chromatographic Purification Steps Involved in the Synthesis of Prodrug-Liposome-Antibody-Complexes 210
H.Schott/B.Leitner/H.Hengartner/R.A.Schwendener

Separation of 50S Ribosomal Proteins from Sulfolobus acidocaldarius by Discontinuous Reversed-Phase Chromatography 215
B.Kossmann/J.R.Grün/R.Reinhardt

High-Performance Liquid Chromatographic Determination of Plasma Histamine after Pre-Column Derivatisation with o-Phthaldialdehyde 219
R. Czerwonka / D. Tsikas / G. Brunner

Basal Plasma-Catecholamine-Level Determination Using HPLC-ED and Different Sample Cleanup Techniques 223
B. Dirks / C. Vorwalter / A. Grünert / F. W. Ahnefeld

Trennungen Hydrophober Virusproteine 230
J. Heukeshoven / R. Dernick

Application of Reversed-Phase and Ion-Pair HPLC for Investigation of Nucleotide Metabolism in Erythrocytes, Reticulocytes and Tumour Cells 237
A. Werner / W. Siems / G. Gerber / H. Schmidt / S. Gruner / H. Becker

Isolation of Allergenic Molecules from a Crude Phleum Pratense (Timothy Grass) Pollen Extract by Combination of Preparative Size Exclusion HPLC and Preparative Isoelectricfocusing 242
D. Meineke / R. Wahl / H. J. Maasch

Isolation of Immunoglobulins and Immunoaffinity HPLC 243
Dj. Josić / W. Hofmann / R. Habermann / W. Reutter

Sample Pretreatment for HPLC 244
M. Uihlein

Chromatographic Fractionation of Non-Racemic Mixtures of Enantiomers on Achiral Phases 244
E. Hug / B. Rohde / W.-L. Tsai / A. S. Dreiding

Contents Vol. 25, No. 4, April 1988

Originals

HPLC-Separation of Enantiomers Using Quinine, Covalently Bonded to Silica as Stationary Phase. 265
H. W. Sturrman / J. Köhler / G. Schomburg

Molecular Parameters and Retention Characteristics of Unsubstituted Polyaromatic Hydrocarbons in HPLC 272
S. N. Lanin / Yu. S. Nikitin

Analysis of Hydrocarbons in Coal and Rock Samples by On-Line Combination of Thermodesorption, Gas Chromatography and Mass Spectrometry 279
W. Püttmann / C. B. Eckardt / R. G. Schaefer

A New Method for the Determination of Mobile Phase Volume in Normal and Reversed-Phase Liquid Chromatography 288
M. Shibukawa / N. Ohta

A Comparison Between Positive and Negative Ion Modes in Thermospray Liquid Chromatography-Mass Spectrometry for the Determination of Chlorophenols and Herbicides 295
D. Barceló

Molecular Interactions in Adsorption Liquid Chromatography with Mixed Mobile Phase 300
B. Ościk-Mendyk / J. K. Rózyło

Size-Exclusion and High-Performance Liquid Chromatography Separation of Peptides from Peptic Haemoglobin Hydrolysate Obtained by Ultrafiltration 307
J. M. Piot / D. Guillochon / D. Thomas

Predicting Retention Data Using the Slope of the log Adjusted Retention Time vs. Carbon Number Plot for n-Alkanes 313
St. J. Hawkes

Determination of Pheophytinatonickel (II) by Reversed-Phase High-Performance Liquid Chromatography 319
K. Furuya / N. Ohki / H. Inoue / T. Shirai

Thin-Layer Chromatography of PT-Metals Complexed with Ketoanils: Analysis and Effect of Chelate Ring Contraction on R_F Values 324
R. K. Upadhyay

Olefin Group Selectivity in Non-Aqueous Reversed-Phase LC 327
R. E. Pauls / R. W. McCoy

Porous Glass Beads as Stationary Phase in Supercritical Fluid Chromatography 332
T. Takeuchi / T. Niwa / D. Ishii

Last Posters from the Amsterdam Symposium HPLC 87

(For the major part of papers and posters presented in Amsterdam please refer to the proceedings volume CHROMATOGRAPHIA **24** (1987)

Chromatographic Behaviour of Aromatic Compounds in Gel Filtration Media 335
M. G. Cacace / A. Sada

Optimization of Stepwise Gradient Elution in Columns Chromatography 339
W. Markowski / W. Golkiewicz

Optimization of the Mobile Phase Composition in Gradient Elution Reversed-Phase HPLC by Stochastic Prediction 343
G. D'Agostino / M. J. O'Hare / F. Mitchell / T. Salomon / F. Vérillon

Polyethylene Glycol-Bonded Phases for Protein Separation by High-Performance Hydrophobic Interaction Chromatography 350
J. P. Chang / J. G. An

Contents Vol. 25, No. 5, May 1988

Originals

Some Observations Regarding Different Retention Properties of HPLC Stationary Phases 373
J. H. Park / P. W. Carr / M. H. Abraham / R. W. Taft / R. M. Doherty / M. J. Kamlet

Study on the Relationship between Chromatographic Retention Behaviour and Molecular Structure 382
Feng Yuqi / Zhu Pengling / Hu Zhide

Testing for Linearity in Retention Time – Carbon Number Plots for n-Alkanes 389
A. Touabet / M. Maeck / A. Y. Badjah Hadj Ahmed / B. Y. Meklati

Gas Chromatographic Resolution of Enantiomeric and Diastereoisomeric Amino Acid Esters on Chirasil-Val Capillary Column 393
De-Ming Liu

Indirect Detection in Liquid Chromatography.
II. Response Models for Reversed-Phase Non-Ionic Systems 397
J. Crommen / G. Schill / P. Herné

On some Aspects of the Silica Surface Modification with Hexamethylcyclotrisilazane, Hexamethyldisilazane and their Mixtures 404
J. Nawrocki

Preparation of Active Ribosomal Proteins by HPLC 409
Petra Nowotny / Helga Eckardt / V. Nowotny / Roza Maria Kamp

A New Approach to the Prediction of RP-HPLC Retention Times in Gradient Elution from Isocratic Data 413
E. Marengo / M. C. Gennaro / C. Baiocchi / P. Bertolo

Silanol Group Effect of Alkylnitrile (Cyano) Bonded Phase in High-Performance Liquid Chromatography 419
P. L. Zhu / D. J. Wang / J. Q. Jin / S. L. Cao

Chromatographic Behaviour of Flavonoid Compounds in Reversed-Phase HPLC Systems 423
F. Dondi / G. Blo / Y. D. Kahie / G. Lodi / C. Pietrogrande / P. Reschiglian

Indirect Detection in Reversed-Phase Liquid Chromatography: Ion-Pair Retention Models for Ionic Compounds on μ Bondapak Phenyl 430
E. Arvidsson / L. Hackzell / G. Schill / D. Westerlund

Process Scale High-Performance Liquid Chromatography
Part I: An Optimisation Procedure to Maximise Column Efficiency 437
K. Jones

Process Scale High-Performance Liquid Chromatography
Part II: Dissolution of Silica Matrices 443
K. Jones

Determination of Bile Acids in Serum and Bile by a Modified Gas Chromatographic Glass Capillary Technique 447
W. Swobodnik / W. Nebelung / U. Klueppelberg / J. G. Wechsler / P. Janowitz / H. Wenk / H. Ditschuneit

Short Communications

Influence of Substituents on the Separation of Aromatic Esters by Bonded-Phase Charge Transfer Liquid Chromatography 451
G. Félix / A. Rahm / C. Bertrand

Measurement of Activity Coefficients in Polymer Solutions by the Reversed-flow Technique 453
P. Agathonos / G. Karaiskakis

Some Effective Solvent Systems for the Rapid Resolution of DNP-Amino Acids by Thin-Layer Chromatography 455
R. Bhushan / G. P. Reddy

Contents Vol. 25, No. 6, June 1988

Originals

Shape Selectivity in Liquid and Gas Chromatography: Polymeric Octadecylsilane (C_{18}) and Liquid Crystalline Stationary Phases 473
S. A. Wise / L. C. Sander / H.-Ch. K. Chang / K. E. Markides / M. L. Lee

Ion Chromatography with Micropacked Alumina Columns 480
T. Takeuchi / E. Suzuki / D. Ishii

Study on Retention Behavior of Peropyrene-Type Polycyclic Aromatic Hydrocarbons with Various Bonded Stationary Phases in Reversed-Phase Liquid Chromatography 483
K. Jinno / T. Ibuki / H. Lamparczyk / M. Okamoto / N. Tanaka / J. C. Fetzer / W. R. Biggs

Process Scale High Performance Liquid Chromatography.
Part III: Optimization Procedure and Economics of Silica Matrices 487
K. Jones

General Equation to Describe the Dependence of the Gas Holdup Time on the Initial Temperature and Program Rate in Temperature-Programmed Gas Chromatography 493
R. V. Golovnya / N. I. Svetlova

Quantitative Determination of Phospholipids in Amniotic Fluid by High-Performance Liquid Chromatography 497
T. Heinze / G. Kynast / J. W. Dudenhausen / C. Schmitz / E. Saling

A New Porous Polymer for Off-Line Preconcentration of Chlorophenols from Water 504
J. Gawdzik / B. Gawdzik / U. Czerwińska-Bil

Analysis of Aldehydes by Micro High-Performance Liquid Chromatography with Post-Column Derivatization on Enzyme-Immobilized Glass Beads 507
T.Takeuchi/D.Ishii/A.Nakanishi

Capillary Gas Chromatographic Determination of Amitrole in Water with Alkali Flame Ionization Detection 511
J.M.van der Poll/M.Vink/J.K.Quirijns

Retention Prediction of Substituted Phenols in Reversed-Phase HPLC 515
S.F.Y.Li/H.K.Lee

Determination of the Evaporation Rate of Essential Oils and Perfumery Compositions Using Gas Chromatography 520
T.A.Rudolfi/M.M.Shchedrina/L.O.Mindlin

Liquid Chromatography/Fast-Atom-Bombardement Mass Spectrometry of Nonionic Detergents 523
T.Takeuchi/S.Watanabe/N.Kondo/M.Goto/D.Ishii

Selective Quantification of Doxycycline in Human Plasma and Urine with Optimised Chromatography 526
M.Nieder/H.Jaeger

Prediction of the Retention Indices of Methyl Pyridines and Pyrazines in Capillary Gas Chromatography Based on the Non-Linear Additivity of the Sorption Energy 531
A.L.Samusenko/R.V.Golovnya

A New Solvent System for the Separation of Th^{4+}, UO_2^{2+} and Zr^{4+} in the Presence of Common Anions by Thin-Layer Chromatography 536
A.Mohammad/N.Fatima

Calculation of Retention Indices at an Assigned Temperature from Temperature-Programmed Data 539
Chen Bangjie/Guo Yijian/Peng Shaoyi

Short Communications

Monitoring the Preparation of NAD Analogs by Reversed-Phase High-Performance Liquid Chromatography 543
P.G.Pietta/P.L.Mauri/M.Pace/D.Agnellini

A Quantitative Extraction Method for Conjugated Bile Acids from Human Serum Using Reversed-Phase Octadecy Bonded Silica Cartridges for HPLC Analysis 545
Y.Y.Zhang/W.Swobodnik/P.Fürst/H.Ditschuneit

Review Paper

A Review of Very Large Scale Chromatography 547
K.Jones

Contents Vol. 25, No. 7, July 1988

Originals

Process Scale High Performance Liquid Chromatography
Part IV – Examples of Reversed Phase Separations 577
K. Jones

Indirect Photometric Detection of Monovalent Cations via Postsuppressor Ion Replacement
in Microcolumn Ion Chromatography 582
T. Takeuchi / E. Suzuki / D. Ishii

Simultaneous Analysis of Selenate and Selenite by Single-Column Ion Chromatography 585
H. C. Mehra / W. T. Frankenberger, Jr.

Determination of the Gas Chromatographic Gas Hold-up Time 589
M. S. Vigdergauz / E. I. Petrova

Liquid-Solid Extraction and HPLC Determination of Amiodarone Metabolites in Biological Fluids 593
M. Petrarulo / S. Pellegrino / E. Mentasti

An Improved Method for Steroid Profile Analysis Using Capillary Gas Chromatography 598
R. Adatia / M. Cooke

Separation of Aliphatic and Aromatic Amines by the Ion Interaction Reagent RP-HPLC Technique 603
M. C. Gennaro / E. Marengo

Determination of the Triglyceride Composition of Grapes by HPLC 609
L. J. R. Barron / M. V. Celaá / G. Santa-María / N. Corzo

Retention Prediction of Small Peptides in Reversed-Phase Liquid Chromatography 613
K. Jinno / E. Tanigawa

Determination of Toluenesulfonic Acid Isomers by Gas Chromatography 618
A. M. Nardillo / R. C. Castells / E. L. Arancibia / M. L. Casella

Reaction Gas Chromatography: Study of the Photodecomposition of Halogenated Hydrocarbons 621
V. Pacáková / H. Vojtěchová / P. Coufal

Thin-Layer Chromatography of Ecdysteroids Originated from *Silene otites L. (Wib.)* 627
Mária Báthori / K. Szendrei / H. Kalász / R. Lafont / J. P. Girault

Demonstration of an Optimized Flow Cell SFC-FTIR Interface 631
S. Shah / M. Ashraf-Khorassani / L. T. Taylor

The Role of the Mobile Phase in the Resolution of Racemic Esters of Aminoacids by
Normal Phase High-Performance Liquid Chromatography 636
J. N. Akanya / D. R. Taylor

The Effect of Temperature on the Resolution of Racemates on a Chiral Bonded Packing
Incorporating N-Formylphenylalanine 639
J. N. Akanya / D. R. Taylor

Study of Dispersive and Inductive Electrostatic Interactions in Reversed-Phase Thin-Layer Chromatography 643
H. Lamparczyk / R. J. Ochocka

Sepabeads FP Series: New Packing Materials for Industrial Scale Separation of Biopolymers 647
H. Takayanagi / T. Ito / Y. Kubo / H. Kusano

Separation of the Stereoisomers of a Homologeous Series of bis-Amides on Chiral Stationary Phases 652
W. H. Pirkle / T. C. Pochapsky

Influence of Structure of Alkenes on their Retention on Different Stationary Phases 655
A. Voelkel

High-Performance Liquid Chromatography Assay of Bacterial Collagenase 659
P. A. Biondi / Francesca Manca / A. Negri / Anna Berrini / Tatjana Simonic / C. Secchi

Contents Vol. 25, No. 8, August 1988

Editorial

The Continuous Evolution of Chromatography 681
M. S. Vigdergauz

Originals

Adsorption of Polar Solutes in Reversed-Phase Liquid-Liquid Chromatography 685
H. W. Stuurman / C. Pettersson / E. Heldin

Capillary Gas Chromatography of some Metal Acetylacetonates 691
J. Maslowska / S. Starzyński

Evaluation of the Signal Intensity of Induced Peaks in Indirect Photometric Detection of Nonelectrolytes in Reversed-Phase High-Performance Liquid Chromatography 694
T. Takeuchi / K. Murase / D. Ishii

Fluorometric Detection with a Packed Flow Cell in Micro High-Performance Liquid Chromatography 697
T. Takeuchi / D. Ishii

Determination of Sugars and Alcohols in Apple Juice and Cider by High Performance Liquid Chromatography 701
D. Blanco Gomis / M. D. Gutierrez Alvarez / J. J. Mangas Alonso / A. Noval Vallina

Study of Modified Silicas by Inverse Gas Chromatography. Part I: Influence of Chain Length on Grafting Ratio. 707
H. Balard / M. Sidqi / E. Papirer / J. B. Donnet / A. Tuel / H. Hommel / A. P. Legrand

Study of Modified Silicas by Inverse Gas Chromatography. Part II: Influence of Chain Length on Surface Properties of Silicas Grafted with α—ω Diols 712
H. Balard/M. Sidqi/E. Papirer/J. B. Donnet/A. Tuel/H. Hommel/A. P. Legrand

Quantitative Determination of Miconazole in Human Serum by High-Performance Liquid Chromatography 717
H. Hosotsubo

Phase Transition on C-18 Bonded Phases Measured by the Positron Annihilation Technique 721
J. Wawryszcuk/M. Lewandowski/W. Górniak/J. Goworek/T. Goworek

Empirical Correlation Equations Describing Retention Data of Hydrocarbons on Dinonylphtalate and Polyethyleneglycol 4000 725
K. Héberger

The Temperature Dependence of Retention Indices in Gas Chromatography 731
Chen Bangjie/Peng Shaoyi

Short Communication

Separation and Identification of α, ω-Diiodoperfluoroalkanes in Gas Chromatography 735
S. Boneva/St. Kotov

Review Paper

An Overview of Contemporary Method Development in Liquid Chromatography 737
P. J. Schoenmakers/Mary Mulholland

Contents Vol. 25, No. 9, September 1988

Originals

Investigation of the Limitations of Saturated Fractional Factorial Experimental Designs, with Confounding Effects for an HPLC Ruggedness Test 769
M. Mulholland/J. Waterhouse

Modifier Effects on Packed and Capillary Columns in Supercritical Fluid Chromatography. 775
S. Schmidt/L. G. Blomberg/E. R. Campbell

A New Electrochromatoscan Method for the Quantitative Paper Chromatography of Amino Acids 781
T. Yoshimura/S. Okazaki

Characterization, by Inverse Gas Chromatography, of the Surface Properties of Calcium Carbonate Before and After Treatment with Stearic Acid 786
P. Schmitt/E. Koerper/J. Schultz/E. Papirer

Use of Two-Dimensional Liquid Chromatography in the Analysis of Additives in Cellulose Acetate Polymer 791
Th. R. Floyd

On the Influence of the Resonance and Inductive Effects on the Hydrophobicity of the Isomeric Methylquinolones Analyzed by Means of RP-HPLC 797
A. Siwek/J. Sliwiok

New Pressure Regulating System for Constant Mass Flow Supercritical-Fluid Chromatography and Physico-Chemical Analysis of Mass-Flow Reduction in Pressure Programming by Analogous Circuit Model 801
M. Saito/Y. Yamauchi/H. Kashiwazaki/M. Sugawara

Bioanalysis of Fluorouracil Applying Liquid Chromatography and Valve Switching 806
U. R. Tjaden/H. Lingeman/H. J. E. M. Reeuwijk/E. A. de Bruijn/H. J. Keizer/J. van der Greef

Semi-Preparative High-Performance Liquid Chromatographic Separation of Trimedlure Isomers 811
J. D. Warthen, Jr./T. P. McGovern

A Simple On-Line Fibre Optics UV Detector for Microcolumn HPLC 815
M. Janeček/F. Foret/K. Šlais/P. Boček

Determination of 3-Phenyl-4-Hydroxy-6-Chloropyridazine in Groundwater Using Enrichment on Porous Organic Polymers 817
W. Auer/H. Malissa jr.

Determination of an Opiate Pentapeptide by On-Line Reversed Phase Preconcentration and Ligand Exchange Chromatography with Spectrofluorometric Detection. 822
A. Foucault/H. Pinochet/R. Rosset/D. Tomé

Thermodynamic Properties of Solutions by Gas Chromatography Using a Liquid Crystal Compound 4,4-Bis(Heptyloxy)Azoxybenzene as Solvent 825
J. Coca/I. Medina/S. H. Langer

Contents Vol. 25, No. 10, October 1988

Editorial

Professor István Halász 1922—1988 853

Originals

Turbidimetric Titration and Gradient High-Performance Liquid Chromatography of Polystyrene Samples 854
G. Glöckner

Simultaneous Distillation-Extraction (SDE) Method in the Qualitative and Quantitative GC Analysis of Cheese Volatile Components 861
M. de Frutos / J. Sanz / I. Martĩnez-Castro

GC-MS and GC-MS-MS Analysis of a Complex Essential Oil 865
Annie Cazaussus / R. Pes / Nicole Sellier / J.-C. Tabet

Enzymatic Hydrolysis of Pectic Substances by Gel-Permeation Chromatography 870
V. Carunchio / A. M. Girelli / M. Sinibaldi / A. M. Tarola

Evaluation of Instrumentation Used for High Performance Thin-Layer Chromatography of Aflatoxins 875
R. D. Coker / K. Jewers / K. I. Tomlins / G. Blunden

Coverage Homogenity of Chemically Bonded C_{18} Phases for HPLC. Investigation of the Changes in the Free Surface Energy of the Packings 881
P. Staszczuk / B. Buszewski

Determination of Thiopental in Human Serum and Plasma by Reversed-Phase High-Performance Liquid Chromatography 887
H. Hosotsubo

Chromatographic Behaviour and Purification of $N^{1.5}$-Glycosyl Enkephalins 891
J. L. Torres / P. Clapés / I. Haro / G. Valencia / F. Reig / J. M. García Antón

Simultaneous Measurements of Formaldehyde and Ozone in Air by Annular Denuder – HPLC Techniques 895
M. Possanzini / V. Di Palo

Practical Aspects of the Temperature Dependence of the Activity of Uncoated and Coated Fused-Silica Columns in Gas Chromatography 899
H. F. Yin / A. J. Huang / Y. L. Sun

Enzymes as HPLC Stationary Phases for Chiral Resolutions: Initial Investigations with α-Chymotrypsin 903
I. W. Wainer / P. Jadaud / G. R. Schombaum / S. V. Kadodkar / M. P. Henry

Lipophilicity Determination of Some Photosynthetic Pigments by Reversed-Phase Thin-Layer Chromatography. The Effect of Support and the Organic Phase in the Eluent 908
T. Cserháti

Short Communications

High-Performance Liquid Chromatographic Determination of Monomeric Sodium Acrylate and Acrylic Acid in Polyacrylic Gelling Agents 915
J. M. Neyer / A. Vigouroux / Ch. Vamvakaris / H. Mandery

The Effect of Some Modifiers on the Retention of Aromatic Hydrocarbons on Untreated Silica Gel 917
F. M. Al-Samarraie / H. A. Zainel / S. M. Al-Fayad / A. H. Al-Ajeel

HPLC-Determination of Nifedipine in Plasma on Normal Phase 919
H. Mascher / H. Vergin

Attempts on the Semi-Preparative Resolution of Racemic Esters of Aminoacids on a Chiral Liquid Chromatographic Column Derived from N-Formylisoleucine 923
J. N. Akanya / D. R. Taylor

The Use of Activated (S)-(+)-Naproxen for the Gas Chromatographic Resolution of Some Amino Acid Methyl Esters 925
N. Büyüktimkin / S. Büyüktimkin / D. Grunow / S. Elz

Review Paper

A Review of Liquid Chromatography in Environmental Pesticide Analysis 928
D. Barceló

Contents Vol. 25, No. 11, November 1988

Originals

The Analysis of Ethinyloestradiol in Tablets by Liquid Chromatography with Electrochemical Detection 957
P. J. Kelly/P. A. Sewell

Comparison of the Elution Curves of Pure Components and Their Mixture and Prediction of Elution Curves by a Theoretical Plate Model in Preparative Gas-Liquid Chromatography 961
Kyung Ho Row

Thermodynamic Interpretation of the Capacity Factor 965
Yu. V. Kazakevitch/Yu. A. Eltekov

Synthesis of a Chemically Bonded Weak Cation Exchange Material by Conversion of an Allyl Phase 969
J. J. Pesek/Wan Ying Wey

Retention Prediction and Computer-Assisted Optimization for the Separation of PTH-Amino Acids in Isocratic Reversed-Phase Liquid Chromatography 974
K. Jinno/M. Yamagami/M. Kuwajima

Unusual Signal Enhancement in Reversed-Phase Chromatography of Polystyrene Monitored by UV Detector 983
G. Glöckner/S. Schmutzler/H. Engelhardt/R. Schultz

Reversed-Phase Thin-Layer Chromatography of the Rare Earth Elements 989
R. Kuroda/M. Adachi/K. Oguma

Micropacked Column Gas Chromatography with Vapour Organic Substance as the Mobile Phase 993
T. Takeuchi/T. Hamanaka/D. Ishii

Reversed-Phase HPLC Analysis of the Semisynthetic Macrolide Antibiotic Azithromycin 999
N. Kovačić-Bošnjak/J. Marincel/N. Lopotar/G. Kobrehel

Review Paper

The Evolution of Capillary Columns for Liquid Chromatography 1004
K. Jinno

Contents Vol. 25, No. 12, December 1988

Editorial

Financial Aid to Participate in International Symposia 1989 1033

Originals

A HPLC Method for the Quantitation of Propafenone and 5-Hydroxy Propafenone 1034
G. L. Hoyer

Efficiency of Four Different Techniques in Coupled HPLC-UV/VIS to Quantify Overlapping Peaks with Known Spectral Features 1039
S. Ebel / W. Mueck

HPLC Separation and Relative Quantitation of Kaempferol Glycosides in Soybean 1049
J. D. Gaynor / B. R. Buttery / R. I. Buzzell / D. C. Mac Tavish

Application of HPLC to Characterization and Control of Individual Acids in Apple Extracts and Ciders 1054
D. Blanco Gomis / M. J. Morán Gutiérrez / M. D. Gutiérrez Alvarez / J. J. Mangas Alonso

Evaluation of the Retention of Cardiac Glycosides and Steroid Hormones in Reversed-Phase Liquid Chromatography and Their Biological Activity According to the Contribution of Hydrophilic and hydrophobic Groups to Retention 1059
V. Ya. Davydov / G. N. Filatova / E. Smolkova-Keulemansova / Yu. Zima

Retention Behaviour of 1,n-Halo(alkylthio)alkanes in HPLC 1067
Gaby Aced / Elke Anklam / H. J. Möckel

Indirect Fluorometric Detection in Micro High-Performance Liquid Chromatography 1072
T. Takeuchi / M. Murayama / D. Ishii

Implementation and Efficiency of an Automatic Peak-Purity-Control Procedure in HPLC-UV-VIS-Coupling Based on Principal Component Analysis 1075
S. Ebel / W. Mueck

Slope of the Log Plot of Adjusted Retention Time Against Carbon Number for Various Homologues Series 1087
St. J. Hawkes